


Ladder Series




Ladder Series



SF Ladder

Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm
SF-215	502	1330	650	640	180	200	250
SF-315	502	1580	650	640	180	200	250
SF-415	502	1830	650	640	180	200	250
SF-515	502	2080	650	640	180	200	250




SL Ladder

Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm
SL-215	502	1330	650	640	180	200	250
15	502	1580	650	640	180	200	250
5	502	1830	650	640	180	200	250
5	502	2080	650	640	180	200	250

AUST TECH
ENGINEERING & SUPPLIES PTY LTD

Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm
15	502	1330	365	640	180	200	250
5	502	1580	365	640	180	200	250
MU-415	502	1830	365	640	180	200	250
MU-515	502	2080	365	640	180	200	250



SP Ladder

SP ladders diameter 42mm polishing stainless steel ladders, stainless steel tread. Perfect curve designs. The surface is antislippery. No minor faults with sharp side cape.

Item No.	Step	A mm	B mm	C mm	D mm	E mm	F mm
SP2+2	2+2	1150	1380	250	730	420	500
SP3+3	3+3	1150	1580	250	930	420	500
SP4+4	4+4	1360	1880	250	1230	420	500
SP4+4	4+4	1360	1900	250	1350	420	500
SP5+5	5+5	1700	2120	250	1530	420	500



Stainless Steel Step



Stainless Steel Step With Anti Slip



Anchor Type



Flange Type


Ladder Series



LF Ladder

Model	A mm	B mm	C mm	D mm	E mm	F mm	G mm	H mm	I mm	J mm
LF 215	493	1460	1042	830	190	200	250	561	831	750
LF 315	493	1710	1042	830	190	200	250	811	831	750
LF 415	493	1960	1042	830	190	200	250	1061	831	750
LF 515	493	2210	1042	830	190	200	250	1311	831	750

With polished stainless steel pipe($\Phi 42$ mm), this ladder is specially designed for overflow pool with attractive appearance. Easily installed with anchoring or flange fixtures.



Anchor Type



Stainless Steel Step

Handrail Component

The following components are for the installation of grad rails around the edge of the pool.



Straight handrails

Polished Stainless Steel AISI 304 or AISI 316.
Handrail length in 1m.

Model: With AISI-304 With AISI-316



End Cap


Polished Stainless Steel AISI 304 or AISI 316.
For the end of $\Phi 42$ mm pipe.

Model: With AISI-304 With AISI-316


Curved connector

Polished Stainless Steel AISI 304 or AISI 316.
For joining $\Phi 42$ mm pipe.

Model: With AISI-304 With AISI-316



Ladder Series




ARB Series

Polished AISI 304 or AISI 316 Stainless Steel($\Phi 42$ mm) pipe.
Both anchor and flange installations are available.

Model Description

ARB-F	304 Exit Handrail
ARB-F	316 Exit Handrail



ARC Series

Polished AISI 304 or AISI 316 Stainless Steel($\Phi 42$ mm) pipe.
Both anchor and flange installations are available.

Model Description

	304 Exit Handrail
	316 Exit Handrail


AUST TECH
ENGINEERING & SUPPLIES PTY LTD

预埋件
Anchor Type
ARG

法兰
Flange Type
ARG-F

ries


4 or AISI 316 Stainless
Steel($\Phi 42$ mm) pipe.
Both anchor and flange installations are available.



Model	Model	Description
ARG	ARG-F	304 Exit Handrail
ARG	ARG-F	316 Exit Handrail

ARS Series

Polished AISI 304 or AISI 316 Stainless
Steel($\Phi 42$ mm) pipe.
Both anchor and flange installations are available.



Model Model Description

ARS	ARS-F	304 Exit Handrail
ARS	ARS-F	316 Exit Handrail

Cleaning Equipment

Cleaning Equipment

10

Cleaning Equipment



Dolphin M200 Cleaner robot
Cable length 24 meters;
cycle time: 3 hours;



Dolphin PROx2 3002# Cleaner robot
Cable length 30m, remote control,
Programmable, climb wall



AUST TECH
ENGINEERING & SUPPLIES PTY LTD

pool cleaner

PAC-08

Automatic pool cleaner

CaRequires a pump of minimum 0.75HP/550W
(or minimum flow of 6.5m3/hr/1700gal/hr)



VTP-51
Manual pool cleaner



VTP-050
SS cleaning car



VTP-336
SS vacuum head
1000x350mm

Cleaning Equipment



PVH-01
Triangular Liner Vac Head w
Swivel Cuff




PVH-06
Deluxe triangular transparent
cast iron weighted vac head



PVH-07
Vac Head w/Side Brushes



PVH-03
Vac Head w/Side Brushes



PVH-09
Flexible Vac Head w
Swivel Brush For IG Pool



PVH-08
Flexible Vac Head
For In-ground Pool



PV-05
14-19" Vacuum head



PV-03
14-19" Vacuum head



PVH-17
Deluxe Vacuum
Brush w/Easy Button



PVH-18
Deluxe Vacuum Head w
Transparent Cover & Easy Button



PVH-16
Deluxe Pentagonal Vacuum
Head w/Easy Button 19"



PLS-02
Professional Aluminium
Leaf Skimmer



PLS-1001
Deluxe Leaf Skimmer
w/Easy Button



PDRS-1001
Deluxe Deep Rake
w/Easy Button



PDRS-05
Professional Heavy Duty
Deep Rake w/Alu Frame



PDRS-10
Professional Deluxe Deep
Rake w/Squeegee Strip
and Replaceable Net



PLS-01
Standard leaf Skimmer(Blue)



PDRS-04
Economy deep bag rake



PDRS-01
Heavy duty plastic leaf rake
with long wearing screen mesh



PLS-03
Heavy duty plastic
leaf Skimmer(Blue)



PLSH-02
Leaf Skimmer with
48"/122cm Aluminium Pole

Cleaning Equipment



PB-04
Oversized Polybristle
Wall Brush w/EZ-clip



PB-11
18"/45cm Metal
Back wall Brush



PB-08
18"/45cm Stainless
Steel Algae Brush



PB-02
18"/45cm Standard
Curved Wall Brush



PB-03
Flexible Brush w/
Alu Handle & Extra Bristles



PB-05
10"/26cm Polybristle
Wall Brush



PB-06
10"/26cm Stainless
Steel Wall Brush



PB-07
10"/26cm Polybristle
Wall Brush w/Alu
Handle & Extra
Bristles



PD-01
Deluxe Large Chemical
Dispenser for 3" Tablets 9"



PT-13
Large Scale Floating
Dial Thermometer

AUST TECH
ENGINEERING & SUPPLIES PTY LTD



PTK-01
Basic pH & Cl Test Kit(20cc)



PTK-05
5-Way Test Kit (PH/Cl/Alkalinity/
Acid Demand/Bromine)



VTP-360
Telescopic Pole
3m/5m/7m/8m/9m



VTP-361
Life Saving Hook



PHR-01
Hose Reel Without Hose



VTP-362
Vacuum Hose
9/12/15/30m



VTP-363
Vacuum Hose
9/12/15/30m




VTP-364
Vacuum Hose
2"10m

Pool Cover




PCR-01
In-ground pool cover reel w/
SS frame for Φ3-1/4" tubes




PCR-02
Above ground pool cover reel w/
ABS frame for Φ3-1/4" & 1-1/2" tubes



Ceramics



YCS-201 YCS-202 YCS-203 YCS-204



YCS-205 YCS-206 YCS-207 YCS-208 YCS-209



YCS-210 YCS-211 YCS-212 YCS-213 YCS-214 YCS-215



PY-48704



PY-48602



PY-48601





PY-48V02



PY-48603

Swimming pool tiles are a special high-tech product, available in two types: glazed flat and textured corrugated surface, with complete specifications and perfect matching. The glazed flat type has various colors such as black, white, blue, etc. It is crystal clear and smooth. The corrugated surface type has the characteristics of simple and elegant, anti slip and wear-resistant. Specially designed for long-term immersion in water in swimming pools. It has water pressure resistance, corrosion resistance, and extremely high quality physical properties, without any chemical reaction to the human skin.



AUST TECH
ENGINEERING & SUPPLIES PTY LTD