


Steam Room Series




Steam Room

STEAM ROOM	
Model	Size(mm)
6A	2460*1800*2150
8A	3050*1800*2150
10A	3640*1800*2150
12A	4230*1800*2150
14A	4280*1800*2150
16A	5410*1800*2150
2B	1260*1020*2150
4B	1800*1280*2150
6B	1800*1870*2150
8B	1800*2460*2150
10B	1800*3050*2150
12B	1800*3740*2150
14B	1800*4230*2150
16B	



AUST TECH
ENGINEERING & SUPPLIES PTY LTD

10D	2120*1920*2250
12D	2120*2500*2250
14D	2120*3080*2250
2G	1270*1340*2250
12E	2500*3100*2200
16E	3700*3100*2200
18E	4300*3100*2200
20E	4900*3100*2200
8F	3100*1300*2200
10F	3100*1900*2200
12F	3100*2500*2200
14F	3100*3100*2200
16F	3100*3700*2200
18F	3100*4300*2200
20F	3100*4900*2200



Luxury Steam Room

NEW
PRODUCT

JOYSPA STEAM ROOM

ENHANCE YOUR LIFESTYLE
EXPERIENCE PERFECT ENJOYMENT

KDL

Material: Tempered glass, Acrylic
304Stainless steel/ Aluminium alloy

Control system: Smart control system


Function: Intelligent touch screen
wireless control panel, FM radio CD
player, MP3, Temperature/Time
adjusting with top light, 3kw
steam generator, Lock function,
Moveable thermotherapy shower tap

Others:

1. Frame Color (Black, Grey)
2. Plate Material option:
Imported Acrylic, Chinese Acrylic
3. Steam generator option:
Imported steam generator
4. Installation accessories.



Product Structure:



KDL-02A


Product Size: 1310x1140x2150mm

Luxury Steam Room

Material: Tempered glass, Acrylic
304Stainless steel/ Aluminium alloy

Control system: Smart control system


Function: Temperature/Time adjusting,
top light, 4.5-18KW steam generator



Others:

1. Frame Color (Black, Grey)
2. Plate Material option:
Imported Acrylic, Chinese Acrylic
3. Steam generator option:
Imported steam generator

Product Structure:



Product Structure:



KDL-08B


Product Size: 2250x1920x2150mm

Product Structure:



KDL-10B

Product Size: 2250x2520x2150mm




KDL-12B

Product Size: 2250x3120x2150mm

AUST TECH
ENGINEERING & SUPPLIES PTY LTD

More Product Structure



KDL-12B


Size: 2250x3120x2150mm

KDL-14B

Size: 2250x3720x2150mm

KDL-16B

Size: 2250x4320x2150mm



KDL-18B

Size: 2250x4920x2150mm

KDL-20B

Size: 2250x5520x2150mm


KDL-22B

Size: 2250x6120x2150mm



Steamer

HB/HC Steamer



Technical Characteristics

Model	Power(kw)	Voltage(V)	Room(m³)
HB-45/HC-45	4.5	380	3-5
HB-60/HC-60	6.0	380	6-7
HB-90/HC-90	9.0	380	10-12
HB-120/HC-120	12	380	15-18
HB-150/HC-150	15	380	18-21
HB-180/HC-180	18	380	21-25
HB-210/HC-210	21	380	26-30

“HARIYA” Steamer



Technical Characteristics

Model	Power(kw)	Voltage(V)	Dimensions(mm)
HA-40	4.0	220/380	210*650*430
HA-60	6.0	220/380	210*650*430
HA-80	8.0	220/380	210*650*430
HA-90	9.0	220/380	210*650*430
HA-120	12	380	260*650*600
HA-150	15	380	260*650*600
HA-180	18	380	260*650*600

“STCMKOT” Steamer



Technical Characteristics


Model	Power(kw)	Voltage(V)	Current(A)	Room(m³)	AWG
ST-30	3.0	200-240	13.6	2.5-5	3*11
ST-40	4.0	200-240	18.2	5-6	3*10
ST-60	6.0	200-240	27.3	6-7	3*8
		380-415	9.1		5*13
ST-70	7.0	200-240	31.8	7-9	3*8
		380-415	11.4		5*12
ST-80	8.0	200-240	36.4	9-10	3*7
		380-415	13.6		5*11
ST-90	9.0	200-240	41	10-12	3*7
		380-415	13.6		5*11
ST-105	10.5	380-415	16	12-15	5*11
ST-120	12.0	380-415	18	15-18	5*10
ST-150	15.0	380-415	23	18-21	5*9
ST-180	18.0	380-415	27.3	21-24	5*8

“KASDALY” Steamer



Technical Characteristics

Model	Power(kw)	Voltage(V)	Current(A)	Room(m³)	AWG
DON-45	4.5	200-240	20	3-5	3*10
		380-415	7		5*14
DON-60	6.0	200-240	27.3	6-7	3*8
		380-415	9		5*13
DON-90	9.0	200-240	41	10-12	3*7
		380-415	14		5*11
DON-105	10.5	380-415	16	12-15	5*11
DON-120	12.0	380-415	18	15-18	5*10
DON-150	15.0	380-415	23	18-21	5*9
DON-180	18.0	380-415	27.3	21-25	5*8



AUST TECH
ENGINEERING & SUPPLIES PTY LTD